


Solid PTFE Magnetic Drive Centrifugal Pumps Efficient – Robust – Permeation-Resistant



MSKP

Magnetic drive chemical process pump

MSKPP

Magnetic drive chemical process peripheral pump

MSKS


Self-priming magnetic drive chemical process side channel pump

Designed to:

DIN EN ISO 2858, 5199 and 15783

Compliant with:

EC Directives 2006/42/EC (Machinery) and 2014/34/EC (ATEX)





Impeller of the MSKS self-priming magnetic drive chemical process side channel pump



CP Pump Systems

Solid PTFE Magnetic Drive Centrifugal Pumps

Our company

CP is a highly innovative Swiss company with a rich tradition. For over 60 years, we have specialised in developing and manufacturing premium quality high-tech products and providing services for international customers with the most rigorous requirements.

We produce reliable and innovative centrifugal pumps for the chemical, pharmaceutical, biotechnology, food and beverage, and pulp and paper industries. Through our network of representatives in more than 40 countries, we offer first-class advice and ensure efficient customer service locally, around the world.

Reflecting our deep commitment to energy efficient products and services, we deliver environmentally friendly solutions that always go hand in hand with maximum safety and economy. As a pioneer in this area, we advise and assist customers with a wide range of needs – throughout the value chain.

CP operates a quality management system certified to ISO 9001:2008.

Energy efficiency in industry

Nowadays, industry is facing increasing demands to improve sustainability and energy efficiency. Pumps are considered to play a key role because they offer vast potential to save energy and costs. Already recognising this back in 1999, CP took action and has become a pioneer in energy-saving pumping systems.

In recent years, we have continuously enhanced the hydraulic performance of numerous pump systems, increasing their efficiency by up to 30 per cent. At the same time, we have steadily improved pump safety, a mission we have vigorously pursued ever since our company was established in 1948.

We are wholeheartedly committed to promoting sustainable manufacturing in industry around the world. Our customers benefit from a comprehensive range of solutions that reduce costs and CO₂ emissions over the long term. Cleaner pumps, cleaner planet: we firmly believe that sustainable research, thinking and action always pay off for everyone.

Solid PTFE magnetic drive centrifugal pumps

With their sealless design, the MSKP, MSKPP and MSKS magnetic drive pumps are ideal to meet the stringent requirements of chemical processing and a multitude of other industries. These highly advanced and extremely energy efficient pumps are built to handle a huge variety of corrosive fluids reliably and absolutely safely, especially in applications requiring resistance to permeation.

The pump casing is constructed of thick vacuum-, corrosion- and permeation-resistant solid plastic. Use of carbon filled PTFE prevents electrostatic charging on the casing. Alternatively, the pumps are also available in virgin PTFE or PVDF.

Made of pure SSiC (sintered silicon carbide) in a robust design engineered for ceramics, the bearing assembly ensures highly reliable pump operation. Plain and thrust bearings are securely locked in place to resist torsional forces using a polygonal form-fit, self-centring system.

Each of the pumps in our solid PTFE magnetic drive range features a different type of impeller. This enables them to be used for a wide spectrum of applications to provide exactly the right pump for every fluid handling need.

MSKP

Solid PTFE Magnetic Drive Chemical Process Pump

The MSKP has a closed radial-flow plastic impeller with a metal core for increased mechanical strength. The pump's connection dimensions and performance data conform to DIN EN ISO 2858, making the MSKP easy to retrofit into any installation to replace old pumps.

Technical data

Capacities (min./max.)	0.2 to 140 m ³ /h
Heads (min./max.)	1 to 90 m
Temperatures (min./max.)	-20°C to +150°C
Kinematic viscosities	0.5 to 350 mm ² /s
Solids concentration	up to 5% depending on fluid

Directives

EC Directive 2006/42/EC (Machinery)





EC Directive 2014/34/EC (ATEX)


Standards

DIN EN ISO 2858


DIN EN ISO 5199

DIN EN ISO 15783






Close-coupled MSKP
with baseplate
-20°C to +150°C



Frame-mounted MSKP
with baseplate
-20°C to +150°C



MSKP with baseplate and motor
horizontal close-coupled (-20°C to +150°C)

MSKPP

Solid PTFE Magnetic Drive Chemical Process Peripheral Pump

The MSKPP features a peripheral impeller with a metal core. This type of impeller allows the pump to generate high head at low flow rates, making it perfect for dosing and injection applications.

Technical data

Capacities (min./max.)	0.1 to 8 m ³ /h
Heads (min./max.)	2 to 160 m
Temperatures (min./max.)	-20°C to +100°C
Kinematic viscosities	0.5 to 350 mm ² /s
Solids concentration	0%

Directives





EC Directive 2006/42/EC (Machinery)


EC Directive 2014/34/EC (ATEX)

Standards


DIN EN ISO 5199

DIN EN ISO 15783





Close-coupled MSKPP
with baseplate
-20°C to +100°C



Frame-mounted MSKPP
with baseplate
-20°C to +100°C



MSKPP with motor
horizontal close-coupled (-20°C to +100°C)

MSKS

Solid PTFE Self-Priming Magnetic Drive Chemical Process Side Channel Pump

The self-priming MSKS features a radial vane impeller with a metal core. This type of impeller allows the pump to handle fluids with a gas content up to 25%. A separate priming tank is not necessary because the pump evacuates the suction line itself by creating a vacuum. The MSKS can even readily pump entrained air in the suction line while running, thus increasing reliability of operation. This pump achieves suction lifts up to 8.5 m.

Technical data

Capacities (min./max.)	0.2 to 2.5 m ³ /h
Heads (min./max.)	1 to 34 m
Temperatures (min./max.)	-20°C to +80°C
Kinematic viscosities	0.5 to 350 mm ² /s
Solids concentration	0%

Directives

EC Directive 2006/42/EC (Machinery)


EC Directive 2014/34/EC (ATEX)

Standards


DIN EN ISO 2858

DIN EN ISO 5199


DIN EN ISO 15783




3000 rpm/50 Hz




1500 rpm/50 Hz



3600 rpm/60 Hz



1800 rpm/60 Hz



Close-coupled MSKS
with baseplate
-20°C to +80°C



MSKS with baseplate and motor
horizontal close-coupled (-20°C to +80°C)

Options

Comprehensive – Individual – Combinable

Casing

Materials

- Carbon filled PTFE
- Virgin PTFE
- PVDF
- PVDF for bromine service

Pressure rating

- PN 16*

Connection flanges

- Flange to DIN 2526
- Flange drilled to ANSI/ASME B16.5

Additional connections

- Casing drain (with or without flange)
- External flush connection for bearing lubrication
- Lantern monitoring connection
- Pt100 connection

Gasket materials

- PTFE-enveloped
- Gylon® blue

O-ring materials

- FEP/FKM
- Kalrez®/Chemraz®



Bearing assembly

Materials

- SSiC (sintered silicon carbide)
- SSiC with diamond-like coating (ADLC)



Containment shell

Materials

- PTFE
- PVDF

Double-walled containment shell with leakage monitoring



*Maximum, varies depending on the pump model, pump size and casing material.



Pump protection

Double-walled containment shell with leakage monitoring

Pt100 temperature probe

Motor load sensor



Mount

Type

- Baseplate

Materials

- Steel

- Stainless steel

Stilts

Drip pan



Bearing frame

Lubrication

- Grease lubrication

Coupling

Coupling guard

- Steel

- Brass




The options vary depending on the pump model.
Our sales staff will be glad to advise you in detail.

Sectional Views


MSKP

horizontal close-coupled (-20°C to +150°C)



MSKPP

horizontal close-coupled (-20°C to +100°C)




- | | |
|---|---|
| 1 Solid plastic pump casing | 7 Plain bearing assembly |
| 2 Impeller | 8 One piece, vacuum-resistant, non-metallic containment shell |
| 3 Drive magnet assembly (on product side) | 9 Pt100 temperature probe on casing |
| 4 Drive magnet assembly (on atmospheric side) | 10 Casing drain |
| 5 Internal bearing lubrication | 11 Bump ring |
| 6 Pump shaft | 12 Flywheel |



MSKS

horizontal close-coupled (-20°C to +80°C)



- | | |
|---|---|
| 1 Solid plastic pump casing | 7 Plain bearing assembly |
| 2 Impeller | 8 One piece, vacuum-resistant, non-metallic containment shell |
| 3 Drive magnet assembly (on product side) | 9 Pt100 temperature probe on casing |
| 4 Drive magnet assembly (on atmospheric side) | 10 Bump ring |
| 5 Internal bearing lubrication | 11 Flywheel |
| 6 Pump shaft | |

Applications

Versatile – Complex – Special

CP's solid PTFE magnetic drive pumps are engineered to meet the most stringent quality standards and ensure reliability and utmost safety in production operations. Suitable for many different fluids in a variety of industries and processes, they are capable of handling low, medium and high flow volumes. They offer tremendous advantages, especially in pumping very sensitive or hazardous substances.

Industries

- Chemical processing: basic and fine chemicals (agrochemicals, speciality chemicals)
- Pharmaceuticals
- Biotechnology processing
- Food and beverages
- Pulp and paper

Processes

CP's solid PTFE magnetic drive pumps are designed for a wide range of processes, including:

- Chlor-alkali electrolysis
- Fertiliser production

Fluids

CP's solid PTFE magnetic drive pumps can handle acids, bases, solvents and other fluids.

For example:

- Bromine
- Dichloromethane
- Ethanol
- Hydrochloric acid
- Hydrofluoric acid
- Nitric acid
- Sodium hydroxide solution
- Sodium hypochlorite
- Sulphuric acid
- Tin chloride

Our sales staff will be glad to give you personalised advice tailored to your specific needs, industry, processes and fluids.





CP Pump Systems

Our Product Portfolio

Customer service

We offer the highest quality, many years of experience and first-class advice from a single source. Our bespoke pump systems meet a wide range of different requirements.

CP's customers benefit from a full service offering: the fastest availability of genuine spare parts, a complete set of technical documentation, competent and efficient customer support, and a dynamic and flexible repair service. All these services ensure that your pumps will operate faultlessly. Having representatives in more than 40 countries, we can provide local advice and support directly to our customers where required.

Energy efficiency consulting

As a trend scout specialised in energy efficiency, CP can deliver a wide spectrum of services relating to pumps and motors: comprehensive advice, in-depth system analysis, meticulous planning and design. Our goal is to actively help our customers optimise the energy consumption of their pumping systems and thereby cut costs over the long term.

Backed by our many years of broad experience, we today advise and assist customers in both the private and public sectors. These include owners and operators of fluid processing plants in the chemical, pharmaceutical and diverse other industries.

Are you interested? Do you have any questions? We would be happy to discuss all the different options with you personally.

Stainless steel magnetic drive centrifugal pumps

MKP

Magnetic drive chemical process pump

MKP-S

Self-priming magnetic drive chemical process pump

MKTP

Magnetic drive chemical process sump pump

MKP-ANSI

Magnetic drive chemical process pump

MKPP

Magnetic drive in-line chemical process peripheral pump

SZMK

Magnetic drive in-line chemical process pump

Stainless steel magnetic drive biotech process pump

MKP-Bio

Magnetic drive centrifugal pump for sterile processes

PFA lined magnetic drive centrifugal pumps

MKPL

Magnetic drive chemical process pump

MKPL-S

Self-priming magnetic drive chemical process pump

Solid PTFE magnetic drive centrifugal pumps

MSKP

Magnetic drive chemical process pump

MSKPP

Magnetic drive chemical process peripheral pump

MSKS

Self-priming magnetic drive chemical process side channel pump

Stainless steel mechanical seal centrifugal pumps

IL-BTO

In-line mechanical seal chemical process pump

KTP

Multi-stage mechanical seal chemical process sump pump

ZMP

Mechanical seal chemical process grinder pump

PFA lined double mechanical seal centrifugal pump

EB

Double mechanical seal chemical process pump

Ceramic lined double mechanical seal centrifugal pump

ET

Double mechanical seal chemical process pump



Improving energy efficiency in pumping systems helps to create a cleaner planet.

Your CP distributor



A-PF Solutions s.r.l.

+ 32 (0)478 29 26 69

info@apfs.be

www.apfs.be

ClimatePartner[®]
climate neutral



Follow us on:

